



Dolomites Research Notes on Approximation

Special issue dedicated to Annie Cuyt on the occasion of her 60th birthday, Volume 10 · 2017 · Pages 1–5

Annie@60: A Life in Approximation

J.A.C. Weideman^a

Communicated by S. De Marchi

At the 4th Dolomites Workshop on Constructive Approximation and Applications, September 8–13, 2016, we had the honour of celebrating the lifetime career achievements of Professor Annie Cuyt of the University of Antwerp in Belgium. Born on May 27, 1956¹, Annie celebrated her 60th birthday earlier in the year. With everyone in attendance skilled in the art of approximation, however, there was no objection to a half percent error and the birthdate was reset to September 9 and celebrated² as such.

To give an overview of Annie's body of work is no simple task. With more than 100 published papers, 3 books, 5 patents, more than 50 co-authors, and contributions to many diverse areas, this is a task better suited to a committee³ than a single person. To elaborate on the diversity of Annie's contributions: her profile page on MathSciNet lists no fewer than 13 areas, ranging from the theoretical (approximation and expansion, numerical analysis, integral transforms and operational calculus) to the practical (information and communication, circuits, systems theory and control).

From an early age Annie realised that mathematics would be her life. It is therefore no surprise that her first paper appeared when she was barely out of her teenage years. This was on a topic that requires no small amount of mathematical maturity, namely abstract Padé approximants in operator theory [1]. Not long after she published her first book [113], which was based on her doctoral thesis. The paper [1] drew the following remark in Mathematical Reviews "The paper under review gives a clear and careful account of this theory...". The words "clear and careful" were to remain descriptive of her work throughout her career.

The outstanding achievement of Annie's early career, and arguably her entire career, was her work on multivariate Padé approximation. In the single variable case the definition of a Padé approximant does not leave much freedom, but this is not the case when working with two or more variables. There are definitions by Arioka, Brezinski, Chisholm, de Bruin (the alphabetical list continues and so does the list of definitions). While most of these authors approached this theory from a lattice space angle, Annie considered this from a homogeneous viewpoint. Himself a major contributor to this field, Claude Brezinski remarks on her definition "She gave another, which is maybe the best one."

One advantage of the homogeneous approach is that the approximants have stronger projection properties than those generated by other definitions [62]. In addition, these approximants inherit many beautiful properties from the univariate case, namely structured linear systems for their computation [8, 81], an epsilon-like algorithm for their recursive generation [3, 9], a qd-like algorithm [12, 14], and their univariate-like relationship to some multivariate orthogonal polynomials [65, 97].

Switching with ease between the tools of algebra and of analysis, Annie then tackled the difficult problem of proving convergence of multivariate Padé approximants. This resulted in an extension of the well-known de Montessus de Ballore theorem of the univariate case to the multivariate case [39, 57]. Co-author Doron Lubinsky remarks "The multivariate case is quite complicated because of the complicated nature of singularities of multivariate functions, and also the decisions to be taken how to define the approximants. Annie's result is a fundamental and definitive contribution to a complicated topic."

Showing her versatility once more, Annie then branched into other parts of numerical mathematics and computer science. Triggered by a new course she was developing for the program in computer science at Antwerp, the idiosyncrasies of floating-point arithmetic became a focal point. With students and colleagues she wrote papers on catastrophic cancellation [68] and underflow [71], and put forward a constructive criticism of the C/C++ proposal for complex arithmetic [76].

On the more classical side of numerical analysis Annie made fundamental contributions to Gaussian cubature [65, 97] and Lebesgue constants for rational interpolation [100, 111]. In this area, a paper on some convergence results concerning certain columns in the qd-algorithm that were overlooked for 50 years is one that Annie is particularly proud of [92].

Arguably the most ambitious project of Annie's career was the monumental *Handbook of Continued Fractions for Special Functions* [114]. Her team of Belgian and Norwegian collaborators got together in various places around the world to complete this encyclopedic treatise on the classical special functions and their continued fraction expansions. Not only did these visits allow the authors to work free of the distractions of their home departments, but the host institutions benefited greatly from having such a powerful team on site.⁴

Where many books on special functions end up being a collection of formulas and theorems, the *Handbook* goes further by also providing software, either as a Maple package or via a web-based interface.⁵ Furthermore, through skilled manipulation of the error terms in the continued fractions, validated results to any specified number of specified digits can be provided. Few software libraries for special functions can make that claim.

^aDepartment of Mathematical Sciences, Stellenbosch University, South Africa. Supported by the National Research Foundation of South Africa.

¹Born in Lubumbashi, at the time called Elisabethville, in the former Belgian colony of the Congo.

²A word of thanks to the Antwerp contingent, who complemented these celebrations with a tasting of some beautiful Belgian brews.

³The author thanks Claude Brezinski, Doron Lubinsky and Walter Van Assche for their input.

⁴Stellenbosch was fortunate to be a host in 2005, so I speak from experience.

⁵<http://cfsf.uantwerpen.be/>

In recent years Annie's research has returned to her roots of rational approximation, specifically from the viewpoint of sparse interpolation [98, 110]. At the Dolomites meeting there was a special session on this topic, with active discussion from many participants. Some of these talks can be found elsewhere in the present volume.

Walter Van Assche, a fellow Belgian mathematician, summarises her research contribution thus: "Flanders, and in particular the University of Antwerp, must be proud to have a performing research group in computational mathematics, with important classical themes such as continued fractions, Padé approximation, nonlinear approximation, all achieved through excellent research and management of Annie."

Annie's talents as researcher are equalled, if not surpassed, by her leadership and organizational qualities. Particularly active as a conference and workshop organizer, she was in charge of Dagstuhl (Germany), Banff–Oaxaca (Mexico), and Woudschoten (The Netherlands), all very prestigious international workshops. These were preceded by a very successful series of international conferences on approximation theory at her home university in Antwerp. In addition, her résumé reveals an impressive collection of scientific committees that she served on. This includes service to various Flemish and Dutch scientific bodies such as science foundations, supercomputing centers, and research foundations.

Accolades for Annie's scientific contributions are too many to mention: more than 100 invitations as plenary speaker to conferences the world over, research funding for a total of about 1200 person months and an additional 6.8 million euro for operations and equipment, a Fellowship from the Alexander von Humboldt Stiftung, the list goes on. But perhaps the most impressive among these is Annie's election as Lifetime Member of the *Royal Flemish Academy of Belgium for the Sciences and the Arts*, a singular honour from such an esteemed society.

Moving discontinuously from the sublime to the trivial, at celebrations like these it seems customary to offer a limerick. In conclusion, here is my effort:⁶

*There was a young lady quite rational
Her approximants totally maximal
She continued each fraction
And Padé'd with passion
Till her fame reached far wider than national!*



Annie \in (0, 60)

Journal publications and books of Annie Cuyt (to 2016)

- [1] A. Cuyt. Abstract Padé approximants in operator theory. volume 765 of *LNM*, pages 61–87, Berlin, 1979. Springer Verlag.
- [2] A. Cuyt. On the properties of abstract rational (1-point) approximants. *J. Operator Theory*, 6:195–216, 1981.
- [3] A. Cuyt. The epsilon-algorithm and multivariate Padé approximants. *Numer. Math.*, 40:39–46, 1982.
- [4] A. Cuyt. Numerical stability of the Halley-iteration for the solution of a system of nonlinear equations. *Math. Comp.*, 38:171–179, 1982.
- [5] A. Cuyt. Padé approximants in operator theory for the solution of nonlinear differential and integral equations. *Comput. Math. Appl.*, 8:445–466, 1982.
- [6] A. Cuyt. Regularity and normality of abstract Padé approximants. Projection property and product property. *J. Approx. Theory*, 35:1–11, 1982.
- [7] A. Cuyt. Accelerating the convergence of a table with multiple entry. *Numer. Math.*, 41:281–286, 1983.
- [8] A. Cuyt. A comparison of some multivariate Padé approximants. *SIAM J. Math. Anal.*, 14:195–202, 1983.
- [9] A. Cuyt. The epsilon-algorithm and Padé approximants in operator theory. *SIAM J. Math. Anal.*, 14:1009–1014, 1983.
- [10] A. Cuyt. Multivariate Padé approximants. *J. Math. Anal. Appl.*, 96:283–293, 1983.
- [11] A. Cuyt. A projection-property for abstract rational (1-point) approximants. *J. Operator Theory*, 10:127–131, 1983.

⁶In truth, two colleagues helped. But any transgression of official limerick meter is my own.

- [12] A. Cuyt. The qd-algorithm and multivariate Padé approximants. *Numer. Math.*, 42:259–269, 1983.
- [13] A. Cuyt and P. Van Der Cruyssen. Abstract Padé approximants for the solution of a system of nonlinear equations. *Comput. Math. Appl.*, 9:617–624, 1983.
- [14] A. Cuyt. The qd-algorithm and Padé approximants in operator theory. *SIAM J. Math. Anal.*, 15:746–752, 1984.
- [15] A. Cuyt and B. Verdonk. General order Newton-Padé approximants for multivariate functions. *Numer. Math.*, 43:293–307, 1984.
- [16] A. Cuyt, L. Wuytack, and H. Werner. On the continuity of the multivariate Padé operator. *J. Comput. Appl. Math.*, 11:95–102, 1984.
- [17] A. Cuyt. A Montessus de Ballore theorem for multivariate Padé approximants. *J. Approx. Theory*, 43:43–52, 1985.
- [18] A. Cuyt. A review of multivariate Padé approximation theory. *J. Comput. Appl. Math.*, 12-13:221–232, 1985.
- [19] A. Cuyt and L. Rall. Computational implementation of the multivariate Halley method for solving nonlinear systems of equations. *ACM Trans. Math. Software*, 11:20–36, 1985.
- [20] A. Cuyt and P. Van Der Cruyssen. Rounding error analysis for forward continued fraction algorithms. *Comput. Math. Appl.*, 11:541–564, 1985.
- [21] A. Cuyt and B. Verdonk. Multivariate rational interpolation. *Computing*, 34:41–61, 1985.
- [22] A. Cuyt. Multivariate Padé approximants revisited. *BIT*, 26:71–79, 1986.
- [23] A. Cuyt. Singular rules for the calculation of non-normal multivariate Padé approximants. *J. Comput. Appl. Math.*, 14:289–301, 1986.
- [24] A. Cuyt. A bibliography of the works of Prof. Dr. H. Werner. *J. Comput. Appl. Math.*, 19:3–8, 1987.
- [25] A. Cuyt. The Euler-Minding series for branched continued fractions. *J. Comput. Appl. Math.*, 17:369–373, 1987.
- [26] A. Cuyt. A recursive computation scheme for multivariate rational interpolants. *SIAM J. Numer. Anal.*, 24:228–239, 1987.
- [27] A. De Muynck, A. Cuyt, R. Liefvooghe, M. Parent, P. Van der Stuyft, and B. Verdonk. A computer aided teaching program in epidemiology and biostatistics. *Ann. Soc. belge Méd. trop.*, 67:79–81, 1987.
- [28] A. Cuyt. A multivariate qd-like algorithm. *BIT*, 28:98–112, 1988.
- [29] A. Cuyt, L. Jacobsen, and B. Verdonk. Instability and modification of Thiele interpolating continued fractions. *Appl. Numer. Math.*, 4:253–262, 1988.
- [30] A. Cuyt and B. Verdonk. Evaluation of branched continued fractions using block-tridiagonal linear systems. *IMA J. Numer. Anal.*, 8:209–217, 1988.
- [31] A. Cuyt and B. Verdonk. Multivariate reciprocal differences for branched Thiele continued fraction expansions. *J. Comput. Appl. Math.*, 21:145–160, 1988.
- [32] A. Cuyt and B. Verdonk. A review of branched continued fraction theory for the construction of multivariate rational approximants. *Appl. Numer. Math.*, 4:263–271, 1988.
- [33] J. Abouir and A. Cuyt. Error formulas for multivariate rational interpolation and Padé approximation. *J. Comput. Appl. Math.*, 31:233–241, 1990.
- [34] A. Cuyt. A multivariate convergence theorem of the “de Montessus de Ballore” type. *J. Comput. Appl. Math.*, 32:47–57, 1990.
- [35] A. Cuyt. Old and new multidimensional convergence accelerators. *Appl. Numer. Math.*, 6(3):169–185, 1990.
- [36] A. Cuyt. A class of adaptive multivariate nonlinear iterative methods. *Rocky Mountain J. Math.*, 21:171–185, 1991.
- [37] A. Cuyt, W.B. Jones, and B. Verdonk. Model reduction and stability of two-dimensional recursive systems. *Rocky Mountain J. Math.*, 21:187–208, 1991.
- [38] H. Allouche and A. Cuyt. On the structure of a table of multivariate rational interpolants. *Constr. Approx.*, 8:69–86, 1992.
- [39] A. Cuyt. Extension of “a multivariate convergence theorem of the de Montessus de Ballore type” to multipoles. *J. Comput. Appl. Math.*, 41:323–330, 1992.
- [40] A. Cuyt, S. Ogawa, and B. Verdonk. Model reduction of multidimensional linear shift-invariant recursive systems using Padé techniques. *Multidimens. Syst. Signal Process.*, 3:309–322, 1992.
- [41] A. Cuyt and B. Verdonk. Multivariate rational data fitting: general data structure, maximal accuracy and object orientation. *Numer. Algorithms*, 3:159–172, 1992.
- [42] J. Abouir and A. Cuyt. Multivariate partial Newton-Padé and Newton-Padé type approximants. *J. Approx. Theory*, 72:301–316, 1993.
- [43] H. Allouche and A. Cuyt. Unattainable points in multivariate rational interpolation. *J. Approx. Theory*, 72:159–173, 1993.
- [44] A. Cuyt and B. Verdonk. The need for knowledge and reliability in numeric computation: case study of multivariate Padé approximation. *Acta Appl. Math.*, 33:273–302, 1993.
- [45] P. Janssens and A. Cuyt. How does PASCAL-XSC compare to other programming languages with respect to the IEEE standard? *ACM SIGPLAN Notices*, 28(8):57–66, 1993.
- [46] H. Allouche and A. Cuyt. Singular rules for a multivariate quotient-difference algorithm. *Numer. Algorithms*, 6:137–168, 1994.
- [47] H. Allouche and A. Cuyt. Well-defined determinant representations for non-normal multivariate rational interpolants. *Numer. Algorithms*, 6:119–135, 1994.
- [48] A. Cuyt. On the convergence of the multivariate “homogeneous” qd-algorithm. *BIT*, 34:535–545, 1994.
- [49] A. Cuyt, B. Verdonk, and J. Verelst. Intelligent object-oriented scientific computation. *Math. Comput. Simulation*, 36:401–411, 1994.
- [50] J. Abouir, A. Cuyt, P. González-Vera, and R. Orive. On the convergence of general order multivariate Padé-type approximants. *J. Approx. Theory*, 86:216–228, 1996.
- [51] A. Cuyt, K. Driver, and D. Lubinsky. A direct approach to convergence of multivariate nonhomogeneous Padé approximants. *J. Comput. Appl. Math.*, 69:353–366, 1996.

- [52] A. Cuyt, K. Driver, and D. Lubinsky. Kronecker type theorems, normality and continuity of the multivariate Padé operator. *Numer. Math.*, 73:311–327, 1996.
- [53] A. Cuyt, K. Driver, and D. Lubinsky. Nuttall-Pommerenke theorems for homogeneous Padé approximants. *J. Comput. Appl. Math.*, 67:141–146, 1996.
- [54] A. Cuyt, K. Driver, and D. Lubinsky. On the size of lemniscates of polynomials in one and several variables. *Proc. Amer. Math. Soc.*, 124:2123–2136, 1996.
- [55] A. Cuyt and D. Lubinsky. On the convergence of multivariate Padé approximants. *Bull. Belgian Math. Soc. Suppl. 'Numerical Analysis'*, pages 51–61, 1996.
- [56] A. Cuyt. Floating-point versus symbolic computations in the qd-algorithm. *J. Symbolic Comput.*, 24:695–703, 1997.
- [57] A. Cuyt and D. Lubinsky. A de Montessus theorem for multivariate homogeneous Padé approximants. *Ann. Numer. Math.*, 4:217–228, 1997.
- [58] A. Cuyt and B. Verdonk. Computational science and engineering at Belgian universities. *IEEE Comput. Science & Engrg.*, 4(4):79–83, 1997.
- [59] A. Cuyt and B. Verdonk. A note on univariate rational interpolation. *Commun. Anal. Theory Contin. Fract.*, VI:63–73, 1997.
- [60] D. Verschaeren, A. Cuyt, and B. Verdonk. On the need for predictable floating-point arithmetic in the programming languages FORTRAN90 and C/C++. *ACM SIGPLAN Notices*, 32(3):57–64, 1997.
- [61] S. Becuwe and A. Cuyt. On the Froissart phenomenon in multivariate homogeneous Padé approximation. *Adv. Comput. Math.*, 11(1):21–40, 1999.
- [62] A. Cuyt. How well can the concept of Padé approximant be generalized to the multivariate case? *J. Comput. Appl. Math.*, 105:25–50, 1999.
- [63] A. Cuyt, K. Driver, J. Tan, and B. Verdonk. Exploring multivariate Padé approximants for multiple hypergeometric series. *Adv. Comput. Math.*, 10:29–49, 1999.
- [64] A. Cuyt, K. Driver, J. Tan, and B. Verdonk. A finite sum representation of the Appell series $F_1(a, b, b'; c; x, y)$. *J. Comput. Appl. Math.*, 105:213–219, 1999.
- [65] B. Benouahmane and A. Cuyt. Multivariate orthogonal polynomials, homogeneous Padé approximants and Gaussian cubature. *Numer. Algorithms*, 24:1–15, 2000.
- [66] B. Benouahmane and A. Cuyt. Properties of multivariate homogeneous orthogonal polynomials. *J. Approx. Theory*, 113:1–20, 2001.
- [67] A. Cuyt and R.B. Lenin. Multivariate rational approximants for multi-class closed queueing networks. *IEEE Trans. Comput.*, 50:1279–1288, 2001.
- [68] A. Cuyt, B. Verdonk, S. Becuwe, and P. Kuterna. A remarkable example of catastrophic cancellation unraveled. *Computing*, 66:309–320, 2001.
- [69] B. Verdonk, A. Cuyt, and D. Verschaeren. A precision and range independent tool for testing floating-point arithmetic I: basic operations, square root and remainder. *ACM Trans. Math. Software*, 27:92–118, 2001.
- [70] B. Verdonk, A. Cuyt, and D. Verschaeren. A precision and range independent tool for testing floating-point arithmetic II: conversions. *ACM Trans. Math. Software*, 27:119–140, 2001.
- [71] A. Cuyt, P. Kuterna, B. Verdonk, and D. Verschaeren. Underflow revisited. *Calcolo*, 39(3):169–179, 2002.
- [72] J. Abouir, A. Cuyt, and R. Orive. Multivariate two-point Padé-type and two-point Padé approximants. *Numer. Algorithms*, 33:11–26, 2003.
- [73] A. Cuyt, R.B. Lenin, G. Willems, C. Blondia, and P. Rousseeuw. Computing packet loss probabilities in multiplexer models using rational approximation. *IEEE Trans. Comput.*, 52:633–644, 2003.
- [74] A. Cuyt, R.B. Lenin, and K. Van der Borgh. Sensitivity analysis and fast computation of packet loss probabilities in multiplexer models. *Appl. Numer. Anal. Comp. Math.*, 1:18–35, 2004.
- [75] A. Cuyt, J. Sijbers, B. Verdonk, and D. Van Dyck. Region and contour identification of physical objects. *Appl. Numer. Anal. Comp. Math.*, 1:343–352, 2004.
- [76] F. Backeljauw and A. Cuyt. A constructive criticism of the C/C++ proposal for complex arithmetic. *Reliab. Comput.*, 11:313–319, 2005.
- [77] P. Borwein, A. Cuyt, and P. Zhou. Explicit construction of general multivariate Padé approximants to an Appell function. *Adv. Comput. Math.*, 22:249–273, 2005.
- [78] A. Bultheel, A. Cuyt, W. Van Assche, M. Van Barel, and B. Verdonk. Generalizations of orthogonal polynomials. *J. Comput. Appl. Math.*, 179:57–95, 2005.
- [79] A. Cuyt, G. Golub, P. Milanfar, and B. Verdonk. Multidimensional integral inversion, with applications in shape reconstruction. *SIAM J. Sci. Comput.*, 27:1058–1070, 2005.
- [80] B. Verdonk, J. Vervloet, and A. Cuyt. Blending set and interval arithmetic for maximal reliability. *Computing*, 74:41–65, 2005.
- [81] S. Becuwe and A. Cuyt. On the fast solution of Toeplitz-block linear systems arising in multivariate approximation theory. *Numer. Algorithms*, 43:1–24, 2006.
- [82] S. Becuwe and A. Cuyt. Reliable multiprecision evaluation of special functions. *ECMI Newsletter*, March-April:16–17, 2006.
- [83] A. Cuyt, R.B. Lenin, S. Becuwe, and B. Verdonk. Adaptive multivariate rational data fitting with applications in electromagnetics. *IEEE Trans. Microwave Theory Tech.*, 54:2265–2274, 2006.
- [84] A. Cuyt, J. Tan, and P. Zhou. General order multivariate Padé approximants for pseudo-multivariate functions. *Math. Comp.*, 75:727–741, 2006.
- [85] A. Cuyt, B. Verdonk, and H. Waadeland. Efficient and reliable multiprecision implementation of elementary and special functions. *SIAM J. Sci. Comput.*, 28:1437–1462, 2006.
- [86] J. Abouir and A. Cuyt. Stable multidimensional model reduction and IIR filter design. *Int. J. Comput. Sci. Math.*, 1:16–27, 2007.
- [87] O. Salazar Celis, A. Cuyt, and B. Verdonk. Rational approximation of vertical segments. *Numer. Algorithms*, 45:375–388, 2007.

- [88] Annie Cuyt and Wen-shin Lee. A new algorithm for sparse interpolation of multivariate polynomials. *Theoret. Comput. Sci.*, 409:180–185, 2008.
- [89] W. Schreppers and A. Cuyt. Algorithm 871: A C/C++ precompiler for the autogeneration of multiprecision programs. *ACM Trans. Math. Software*, 34(1), 2008.
- [90] F. Backeljauw and A. Cuyt. Algorithm 895: A continued fractions package for special functions. *ACM Trans. Math. Software*, 36, 2009.
- [91] P. Zhou, A. Cuyt, and J. Tan. General order multivariate Padé approximants for pseudo-multivariate functions II. *Math. Comp.*, 78(268):2137–2155, 2009.
- [92] H. Allouche and A. Cuyt. Reliable root detection with the qd-algorithm: when Bernoulli, Hadamard and Rutishauser cooperate. *Appl. Numer. Math.*, 60:1188–1208, 2010.
- [93] Annie Cuyt and Xianglan Yang. A practical error formula for multivariate rational interpolation and approximation. *Numer. Algorithms*, 55:233–243, 2010.
- [94] R.B. Lenin, A. Cuyt, K. Yoshigoe, and S. Ramaswamy. Computing packet loss probabilities of D-BMAP/PH/1/N queues with group services. *Perform. Eval.*, 67:160–173, 2010.
- [95] A. Ludu, J. Van Deun, M.V. Milošević, A. Cuyt, and F. Peeters. Analytic treatment of vortex states in cylindrical superconductors in applied axial magnetic field. *J. Math. Phys.*, 51:082903–1 – 082903–29, 2010.
- [96] M. Colman, A. Cuyt, and J. Van Deun. Validated computation of certain hypergeometric functions. *ACM Trans. Math. Software*, 38, 2011.
- [97] A. Cuyt, B. Benouahmane, Hamsapriye, and I. Yaman. Symbolic-numeric Gaussian cubature rules. *Appl. Numer. Math.*, 61:929–945, 2011.
- [98] Annie Cuyt and Wen-shin Lee. Sparse interpolation of multivariate rational functions. *Theoret. Comput. Sci.*, 412:1445–1456, 2011.
- [99] H.T. Nguyen, A. Cuyt, and O. Salazar Celis. Comonotone and coconvex rational interpolation and approximation. *Numer. Algorithms*, 58:1–21, 2011.
- [100] Annie Cuyt, Irem Yaman, Ali Ibrahimoglu, and Brahim Benouahmane. Radial orthogonality and Lebesgue constants on the disk. *Numer. Algorithms*, 61:291–313, 2012.
- [101] Romain Pacanowski, Oliver Salazar Celis, Christophe Schlick, Xavier Granier, Pierre Poulin, and Annie Cuyt. Rational BRDF. *IEEE Trans. Vis. Comput. Graph.*, 18:1824–1835, 2012.
- [102] Oliver Salazar Celis, Annie Cuyt, Dirk Deschrijver, Dries Vande Ginste, and Tom Dhaene. Macromodeling of high-speed interconnects by positive interpolation of vertical segments. *Appl. Math. Model.*, 37:4874–4882, 2013.
- [103] F. Backeljauw, S. Becuwe, A. Cuyt, J. Van Deun, and D. Lozier. Validated evaluation of special mathematical functions. *Science of Computer Programming*, 90:2–20, 2014.
- [104] A. Cuyt, O. Salazar Celis, and M. Lukach. Multidimensional IIR filters and robust rational interpolation. *Multidimens. Syst. Signal Process.*, 25:447–471, 2014.
- [105] M. Collowald, A. Cuyt, E. Hubert, W.-s. Lee, and O. Salazar Celis. Numerical reconstruction of convex polytopes from directional moments. *Adv. Comput. Math.*, 41(6):1079–1099, 2015.
- [106] Annie Cuyt. Approximation theory. In N. Higham, editor, *Princeton Companion to Applied Mathematics*, pages 248–262. Princeton University Press, 2015.
- [107] Oliver Salazar Celis, Lingzhi Liang, Damiaan Lemmens, Jacques Tempere, and Annie Cuyt. Determining and benchmarking risk neutral distributions implied from option prices. *Appl. Math. Comput.*, 258:372–387, 2015.
- [108] A. Cuyt, O. Salazar Celis, M. Lukach, and K. In ’t Hout. Analytic models for parameter dependency in option price modelling. *Numer. Algorithms*, 73:15–31, 2016.
- [109] Annie Cuyt and Wen-shin Lee. Sparse interpolation and rational approximation. volume 661 of *Contemporary Mathematics*, pages 229–242. American Mathematical Society, 2016.
- [110] Annie Cuyt, Wen-shin Lee, and Xianglan Yang. On tensor decomposition, sparse interpolation and Padé approximation. *Jaén J. Approx.*, 8(1):33–58, 2016.
- [111] B. Ali Ibrahimoglu and A. Cuyt. Sharp bounds for Lebesgue constants of barycentric rational interpolation. *Exp. Math.*, (25):347–354, 2016.
- [112] Yongliang Zhang, Annie Cuyt, Wen-shin Lee, Giovanni Lo Bianco, Gang Wu, Yu Chen, and David Day-Uei Li. Towards unsupervised fluorescence lifetime imaging using low dimensional variable projection. *Optics Express*, 24(23):26777–26791, 2016.
- [113] Annie Cuyt. *Padé approximants for operators: theory and applications*, volume 1065 of *Lecture Notes in Mathematics*. Springer-Verlag, Berlin, 1984. (Book).
- [114] Annie Cuyt, Vigdis Brevik Petersen, Brigitte Verdonk, Haakon Waadeland, and William B. Jones. *Handbook of continued fractions for special functions*. Springer, New York, 2008. With contributions by Franky Backeljauw and Catherine Bonan-Hamada, Verified numerical output by Stefan Becuwe and Cuyt. (Book).
- [115] Annie Cuyt and Luc Wuytack. *Nonlinear methods in numerical analysis*, volume 136 of *North-Holland Mathematics Studies*. North-Holland Publishing Co., Amsterdam, 1987. Studies in Computational Mathematics, 1. (Book).