



BERKOWITZ'S ALGORITHM AND CLOW SEQUENCES*

MICHAEL SOLTYS†

Abstract. A combinatorial interpretation of Berkowitz's algorithm is presented. Berkowitz's algorithm is the fastest known parallel algorithm for computing the characteristic polynomial of a matrix. The combinatorial interpretation is based on "loop covers" introduced by Valiant, and "clow sequences", defined by Mahajan and Vinay. Clow sequences turn out to capture very succinctly the computations performed by Berkowitz's algorithm, which otherwise are quite difficult to analyze. The main contribution of this paper is a proof of correctness of Berkowitz's algorithm in terms of clow sequences.

Key words. Berkowitz's algorithm, Clow sequences, Computational and proof complexity, Parallel algorithms, Characteristic polynomial.

AMS subject classifications. 65F30, 11Y16

1. Introduction. Berkowitz's algorithm is the fastest known parallel algorithm for computing the characteristic polynomial (char poly) of a matrix (and hence for computing the determinant, the adjoint, and the inverse of a matrix, if it exists). It can be formalized with small boolean circuits of depth $O(\log^2)$ in the size of the underlying matrix. We shall describe precisely in the next section what we mean by "small" and "depth," but the idea is that the circuits have polynomially many gates in n , for an $n \times n$ matrix A , and the longest path in these circuits is a constant multiple of $\log^2 n$.

There are two other fast parallel algorithms for computing the coefficients of the characteristic polynomial of a matrix: Chistov's algorithm and Csanky's algorithm. Chistov's algorithm is more difficult to formalize, and Csanky's algorithm works only for fields of char 0; see [8, section 13.4] for details about these two algorithms.

The author's original motivation for studying Berkowitz's algorithm was the proof complexity of linear algebra. Proof Complexity deals with the complexity of formal mathematical derivations, and it has applications in lower bounds and automated theorem proving. In particular, the author was interested in the complexity of derivations of matrix identities such as $AB = I \rightarrow BA = I$ (right matrix inverses are left inverses). These identities have been proposed by Cook as candidates for separating the Frege and Extended Frege proof systems. Proving (or disproving) this separation is one of the outstanding problems in propositional proof complexity; see [3] for a comprehensive exposition of this area of research.

Thus, we were interested in an algorithm that could compute inverses of matrices, of the lowest complexity possible. Berkowitz's algorithm is ideal for our purposes for several reasons:

- as was mentioned above, it has the lowest known complexity for computing

*Received by the editors on 23 January 2002. Accepted for publication on 5 April 2002. Handling Editor: Ludwig Elsner.

†McMaster University, Department of Computing and Software, 1280 Main Street West, Hamilton, Ontario L8S 4K1, Canada (soltys@mcmaster.ca).

the char poly (we show in the next section that it can be formalized with uniform NC^2 circuits: small circuits of small depth),

- it can be easily expressed with iterated matrix products, and hence it lends itself to an easy formalization in first order logic (with three sorts: indices, field elements, and matrices, see [5]),
- and it is field independent, as the algorithm does not require divisions, and hence Berkowitz's algorithm can compute char polynomials over any commutative ring.

Standard algorithms in linear algebra, such as Gaussian Elimination, do not yield themselves to parallel computations. Gaussian Elimination is a sequential polynomial time algorithm, and hence it falls in a complexity class far above the complexity of Berkowitz's algorithm. Furthermore, Gaussian Elimination requires divisions, which are messy to formalize, and are not "field independent". The cofactor expansion requires computing $n!$ many terms, so it is an exponential algorithm, and hence not tractable.

From the beginning, we were interested in proving the correctness of Berkowitz's algorithm within its own complexity class. That is, for our applications, we wanted to give a proof of correctness where the computations were not outside the complexity class of Berkowitz's algorithm, but rather inside NC^2 , meaning that the proof of correctness should use iterated matrix products as its main engine for computations. This turned out to be a very difficult problem.

The original proof of correctness of Berkowitz's algorithm relies on Samuelson's Identity (shown in the next section), which in turn relies on Lagrange's Expansion, which is widely infeasible (as it requires summing up $n!$ terms, for a matrix of size $n \times n$). We managed to give a feasible (polytime) proof of correctness in [5], but the hope is that it is possible to give a proof of correctness which does not need polytime concepts, but rather concepts from the class NC^2 . Note that by correctness, we mean that we can prove the main properties of the char poly, which are the Cayley-Hamilton Theorem, and the multiplicativity of the determinant; all other "universal" properties follow directly from these two.

Hence our interest in understanding the workings of Berkowitz's algorithm. In this paper, we show that Berkowitz's algorithm computes sums of the so called "clow sequences." These are generalized permutations, and they seem to be the conceptually cleanest way of showing what is going on in Berkowitz's algorithm. Since clow sequences are generalized permutations, they do not lend themselves directly to a feasible proof. However, the hope is that by understanding the complicated cancellations of terms that take place in Berkowitz's algorithm, we will be able to assert properties of Berkowitz's algorithm which *do* have NC^2 proofs, and which imply the correctness of the algorithm. Clow sequences expose very concisely the cancellations of terms in Berkowitz's algorithm.

The main contribution of this paper is given in Theorem 3.11, where we show that Berkowitz's algorithm computes sums of clow sequences. The first combinatorial interpretation of Berkowitz's algorithm was given by Valiant in [7], and it was given in terms of "loop covers," which are similar to clow sequences. This was more of an observation, however, and not many details were given. We give a detailed inductive

proof of correctness of Berkowitz's algorithm in terms of clow sequences, introduced in [4].

2. Berkowitz's Algorithm. Berkowitz's algorithm computes the coefficients of the char polynomial of a matrix A , $p_A(x) = \det(xI - A)$, by computing iterated matrix products, and hence it can be formalized in the complexity class NC^2 .

The complexity class NC^2 is the class of problems (parametrized by n —here n is the input size parameter) that can be computed with uniform boolean circuits (with gates AND, OR, and NOT), of polynomial size in n (i.e., polynomially many gates in the input size), and $O(\log^2 n)$ depth (i.e., the longest path from an input gate to the circuit to the output gate is in the order of $\log^2 n$).

For example, matrix powering is known to be in NC^2 . The reason is that the product of two matrices can be computed with boolean circuits of polynomial size and logarithmic depth (i.e., in NC^1), and the n -th power of a matrix can be obtained by repeated squaring (squaring $\log n$ many times for a matrix of size $n \times n$). Cook defined¹ the complexity class POW to be the class of problems reducible to matrix powering, and showed that $\text{NC}^1 \subseteq \text{POW} \subseteq \text{NC}^2$. Note that every time we make the claim that Berkowitz's algorithm can be formalized in the class NC^2 , we could be making a stronger claim instead by saying that Berkowitz's algorithm can be formalized in the class POW.

Berkowitz's algorithm computes the char polynomial of a matrix with iterated matrix products. Iterated matrix products can easily be reduced to the problem of matrix powering: place the A_1, A_2, \dots, A_n above the main diagonal of a new matrix B which is zero everywhere else, compute B^n , and extract $A_1 A_2 \cdots A_n$ from the upper-right corner block of B^n . Hence, since Berkowitz's algorithm can be computed with iterated matrix products (as we show in Definition 2.6 below), it follows that Berkowitz's algorithm can be formalized in $\text{POW} \subseteq \text{NC}^2$. The details are in Lemma 2.7 below.

The main idea in the standard proof of Berkowitz's algorithm (see [1]) is Samuelson's identity, which relates the char polynomial of a matrix to the char polynomial of its principal sub-matrix. Thus, the coefficients of the char polynomial of an $n \times n$ matrix A below, are computed in terms of the coefficients of the char polynomial of M :

$$A = \begin{bmatrix} a_{11} & R \\ S & M \end{bmatrix}$$

where R, S and M are $1 \times (n-1)$, $(n-1) \times 1$ and $(n-1) \times (n-1)$ sub-matrices, respectively.

LEMMA 2.1 (Samuelson's Identity). *Let $p(x)$ and $q(x)$ be the char polynomials of A and M , respectively. Then*

$$p(x) = (x - a_{11})q(x) - R \cdot \text{adj}(xI - M) \cdot S$$

¹See [2] for a comprehensive exposition of the parallel classes NC^i , POW, and related complexity classes. This paper contains the details of all the definitions outlined in the above paragraphs.

Recall that the adjoint of a matrix A is the transpose of the matrix of cofactors of A ; that is, the (i, j) -th entry of $\text{adj}(A)$ is given by $(-1)^{i+j} \det(A[j|i])$. Also recall that $A[k|l]$ is the matrix obtained from A by deleting the k -th row and the l -th column. We also make up the following notation: $A[-|l]$ denotes that only the l -th column has been deleted. Similarly, $A[k|-]$ denotes that only the k -th row has been deleted, and $A[-|-] = A$.

Proof of Lemma 2.1.

$$p(x) = \det(xI - A) = \det \begin{bmatrix} x - a_{11} & -R \\ -S & xI - M \end{bmatrix}$$

using the cofactor expansion along the first row

$$= (x - a_{11}) \det(xI - M) + \sum_{j=1}^{n-1} (-1)^j (-r_j) \det(\underbrace{-S(xI - M)[-|j]}_{(*)}),$$

where $R = (r_1 r_2 \dots r_{n-1})$, and the matrix indicated by $(*)$ is given as follows: the first column is S , and the remaining columns are given by $(xI - M)$ with the j -th column deleted. We expand $\det(-S(xI - M)[-|j])$ along the first column, i.e., along the column $S = (s_1 s_2 \dots s_{n-1})^T$ to obtain

$$= (x - a_{11})q(x) + \sum_{j=1}^{n-1} (-1)^j (-r_j) \sum_{i=1}^{n-1} (-1)^{i+1} (-s_i) \det(xI - M)[i|j]$$

and rearranging

$$\begin{aligned} &= (x - a_{11})q(x) - \sum_{i=1}^{n-1} \left(\sum_{j=1}^{n-1} r_j (-1)^{i+j} \det(xI - M)[i|j] \right) s_i \\ &= (x - a_{11})q(x) - R \cdot \text{adj}(xI - M) \cdot S \end{aligned}$$

and we are done. \square

LEMMA 2.2. Let $q(x) = q_{n-1}x^{n-1} + \dots + q_1x + q_0$ be the char polynomial of M , and let

$$B(x) = \sum_{k=2}^n (q_{n-1}M^{k-2} + \dots + q_{n-k+1}I)x^{n-k} \quad (2.1)$$

Then $B(x) = \text{adj}(xI - M)$.

EXAMPLE 2.3. If $n = 4$, then

$$B(x) = Iq_3x^2 + (Mq_3 + Iq_2)x + (M^2q_3 + Mq_2 + Iq_1).$$

Proof of Lemma 2.2. First note that

$$\text{adj}(xI - M) \cdot (xI - M) = \det(xI - M)I = q(x)I.$$

Now multiply $B(x)$ by $(xI - M)$, and using the Cayley-Hamilton Theorem, we can conclude that $B(x) \cdot (xI - M) = q(x)I$. Thus, the result follows as $q(x)$ is not the zero polynomial; i.e., $(xI - M)$ is *not* singular. \square

From Lemmas 2.1 and 2.2 we have the following identity which is the basis for Berkowitz's algorithm

$$p(x) = (x - a_{11})q(x) - R \cdot B(x) \cdot S. \tag{2.2}$$

Using (2.2), we can express the char poly of a matrix as iterated matrix product. Again, suppose that A is of the form

$$\begin{bmatrix} a_{11} & R \\ S & M \end{bmatrix}.$$

DEFINITION 2.4. We say that an $n \times m$ matrix is *Toeplitz* if the values on each diagonal are the same. We say that a matrix is *upper triangular* if all the values below the main diagonal are zero. A matrix is *lower triangular* if all the values above the main diagonal are zero.

If we express equation (2.2) in matrix form we obtain:

$$p = C_1q \tag{2.3}$$

where C_1 is an $(n + 1) \times n$ Toeplitz lower triangular matrix, and where the entries in the first column are defined as follows

$$c_{i1} = \begin{cases} 1 & \text{if } i = 1 \\ -a_{11} & \text{if } i = 2 \\ -(RM^{i-3}S) & \text{if } i \geq 3. \end{cases} \tag{2.4}$$

EXAMPLE 2.5. If A is a 4×4 matrix, then $p = C_1q$ is given by:

$$\begin{bmatrix} p_4 \\ p_3 \\ p_2 \\ p_1 \\ p_0 \end{bmatrix} = \begin{bmatrix} 1 & 0 & 0 & 0 \\ -a_{11} & 1 & 0 & 0 \\ -RS & -a_{11} & 1 & 0 \\ -RMS & -RS & -a_{11} & 1 \\ -RM^2S & -RMS & -RS & -a_{11} \end{bmatrix} \begin{bmatrix} q_3 \\ q_2 \\ q_1 \\ q_0 \end{bmatrix}$$

Berkowitz's algorithm consists in repeating this for q (i.e., q can itself be computed as $q = C_2r$, where r is the char polynomial of $M[1|1]$), and so on, and eventually expressing p as a product of matrices:

$$p = C_1C_2 \cdots C_n.$$

We provide the details in the next definition.

DEFINITION 2.6 (Berkowitz's algorithm). Given an $n \times n$ matrix A , over any field K , *Berkowitz's algorithms* computes an $(n + 1) \times 1$ column vector p_A as follows.

Let C_j be an $(n + 2 - j) \times (n + 1 - j)$ Toeplitz and lower-triangular matrix, where the entries in the first column are define as follows

$$\begin{cases} 1 & \text{if } i = 1 \\ -a_{jj} & \text{if } i = 2 \\ -R_j M_j^{i-3} S_j & \text{if } 3 \leq i \leq n + 2 - j, \end{cases} \quad (2.5)$$

where M_j is the j -th principal sub-matrix, so $M_1 = A[1|1]$, $M_2 = M_1[1|1]$, and in general $M_{j+1} = M_j[1|1]$, and R_j and S_j are given by

$$\left[a_{j(j+1)} \quad a_{j(j+2)} \quad \dots \quad a_{jn} \right] \quad \text{and} \quad \left[a_{(j+1)j} \quad a_{(j+2)j} \quad \dots \quad a_{nj} \right]^T$$

respectively. Then

$$p_A = C_1 C_2 \cdots C_n. \quad (2.6)$$

Note that Berkowitz's algorithm is field independent (there are no divisions in the computation of p_A), and so all our results are field independent.

LEMMA 2.7. *Berkowitz's algorithm is an NC^2 algorithm.*

Proof. This follows from (2.6): p_A is given as a product of matrices, each C_i can be computed independently of the other C_j 's, so we have a sequence of C_1, C_2, \dots, C_n matrices, independently computed, so we can compute their product with repeated squaring of the matrix B , which is constructed by placing the C_i 's above the main diagonal of an otherwise all zero matrix.

Now the entries of each C_i can also be computed using matrix products, again independently of each other. In fact, we can compute the (i, j) -th entry of the k -th matrix very quickly as in (2.5).

Finally, we can compute additions, additive inverses, and products of the underlying field elements (in fact, more generally, of the elements in the underlying commutative ring, as we do not need divisions in this algorithm). We claim that these operations can be done with small NC^1 circuits (this is certainly true for the standard examples: finite fields, rationals, integers, etc.).

Thus we have "three layers": one layer of NC^1 circuits, and two layers of NC^2 circuits (one layer for computing the entries of the C_j 's, and another layer for computing the product of the C_j 's), and so we have (very uniform) NC^2 circuits that compute the column vector with the coefficients of the char polynomial of a given matrix. \square

In this section we showed that Berkowitz's algorithm computes the coefficients of the char polynomial correctly, by first proving Samuelson's Identity, and then using the Cayley-Hamilton Theorem, to finally obtain that equation (2.6) computes the coefficients of the char polynomial correctly. This is a very indirect approach, and we loose insight into what is actually being computed when we are presented with equation (2.6). However, the underlying fact is the Lagrange expansion of the determinant (that's how Samuelson's Identity, and the Cayley-Hamilton Theorem are proved). In the next section, we take equation (2.6) naively, and we give a combinatorial proof of its correctness with clow sequences and the Lagrange expansion.



3. Clow Sequences. First of all, a “clow” is an acronym for “closed walk.” Clow sequences (introduced in [4], based on ideas in [6]), can be thought of as generalized permutations. They provide a very good insight into what is actually being computed in Berkowitz’s algorithm.

In the last section, we derived Berkowitz’s algorithm from Samuelson’s Identity and the Cayley-Hamilton Theorem. However, both these principles are in turn proved using Lagrange’s expansion for the determinant. Thus, this proof of correctness of Berkowitz’s algorithm is indirect, and it does not really show what is being computed in order to obtain the char polynomial.

To see what is being computed in Berkowitz’s algorithm, and to understand the subtle cancellations of terms, it is useful to look at the coefficients of the char polynomial of the determinant of a matrix A as given by determinants of minors of A . To define this notion precisely, let A be an $n \times n$ matrix, and define $A[i_1, \dots, i_k]$, where $1 \leq i_1 < i_2 < \dots < i_k \leq n$, to be the matrix obtained from A by deleting the rows and columns numbered by i_1, i_2, \dots, i_k . Thus, using this notation, $A[1|1] = A[1]$, and $A[2, 3, 8]$ would be the matrix obtained from A by deleting rows and columns 2, 3, 8.

Now, it is easy to show from the Lagrange’s expansion of $\det(xI - A)$, that if p_n, p_{n-1}, \dots, p_0 are the coefficients of the char polynomial of A , then they are given by the following formulas

$$p_k = (-1)^{n-k} \sum_{1 \leq i_1 < i_2 < \dots < i_k \leq n} \det(A[i_1, i_2, \dots, i_k]), \quad (3.1)$$

where if $k = 0$, then $p_k = p_0 = (-1)^n \det(A)$, and if $k = n$, then $p_k = p_n = (-1)^0 = 1$. This is of course consistent with $\det(xI - A) = p_n x^n + p_{n-1} x^{n-1} + \dots + p_0$, since p_n is 1, and p_0 is $(-1)^n \times$ the determinant of A .

Since $\det(A[i_1, i_2, \dots, i_k])$ can be computed using the Lagrange’s expansion, it follows from (3.1), that each coefficient of the char polynomial can be computed by summing over permutations of minors of A as follows,

$$p_{n-k} = \sum_{1 \leq i_1 < i_2 < \dots < i_{n-k} \leq n} \sum_{\sigma \in \{j_1, j_2, \dots, j_k\}} \text{sign}(\sigma) a_{j_1 \sigma(j_1)} a_{j_2 \sigma(j_2)} \dots a_{j_k \sigma(j_k)}. \quad (3.2)$$

Note that the set $\{j_1, j_2, \dots, j_k\}$ is understood to be the complement of the set $\{i_1, i_2, \dots, i_{n-k}\}$ in $\{1, 2, \dots, n\}$, and σ is a permutation in S_k , that permutes the elements in the set $\{j_1, j_2, \dots, j_k\}$. We re-arranged the subscripts in (3.2) to make the expression more compatible later with clow sequences. Note that when $k = n$, we are simply computing the determinant, since in that case the first summation is empty, and the second summation spans over all the permutations in S_n , and thus

$$\det(A) = \sum_{\sigma \in S_n} \text{sign}(\sigma) a_{1\sigma(1)} \dots a_{n\sigma(n)}.$$

Finally, note that if $k = 0$, then the second summation is empty, and there is just one sequence that satisfies the condition of the first summation (namely $1 < 2 < \dots < n$), so the result is 1 by convention.

We can interpret $\sigma \in S_n$ as a directed graph G_σ on n vertices: if $\sigma(i) = j$, then (i, j) is an edge in G_σ , and if $\sigma(i) = i$, then G_σ has the self-loop (i, i) .

EXAMPLE 3.1. The permutation given by

$$\sigma = \begin{pmatrix} 1 & 2 & 3 & 4 & 5 & 6 \\ 3 & 1 & 2 & 4 & 6 & 5 \end{pmatrix}$$

corresponds to the directed graph G_σ with 6 nodes and the following edges:

$$\{(1, 3), (2, 1), (3, 2), (4, 4), (5, 6), (6, 5)\}$$

where $(4, 4)$ is a self-loop.

Given a matrix A , define the weight of G_σ , $w(G_\sigma)$, as the product of a_{ij} 's such that $(i, j) \in G_\sigma$. So G_σ in Example 3.1 has a weight given by: $w(G_\sigma) = a_{13}a_{21}a_{32}a_{44}a_{56}a_{65}$. Using the new terminology, we can restate equation (3.2) as follows

$$p_{n-k} = (-1)^{n-k} \sum_{1 \leq i_1 < i_2 < \dots < i_{n-k} \leq n} \sum_{\sigma \in \{j_1, j_2, \dots, j_k\}} \text{sign}(\sigma)w(G_\sigma). \quad (3.2')$$

The graph-theoretic interpretation of permutations gets us closer to clow sequences. The problem that we have with (3.2') is that there are too many permutations, and there is no (known) way of grouping or factoring them, in such a way so that we can save computing all the terms $w(\sigma)$, or at least so that these terms cancel each other out as we go.

The way to get around this problem is by generalizing the notion of permutation (or *cycle cover*, as permutations are called in the context of the graph-theoretic interpretation of σ). Instead of summing over cycle covers, we sum over clow sequences; the paradox is that there are many more clow sequences than cycle covers, *but* we can efficiently compute the sums of clow sequences (with Berkowitz's algorithm), making a clever use of cancellations of terms as we go along. We now introduce all the necessary definitions, following [4].

DEFINITION 3.2. A *clow* is a walk (w_1, \dots, w_l) starting from vertex w_1 and ending at the same vertex, where any (w_i, w_{i+1}) is an edge in the graph. Vertex w_1 is the least-numbered vertex in the clow, and it is called the *head* of the clow. We also require that the head occur only once in the clow. This means that there is exactly one incoming edge (w_l, w_1) , and one outgoing edge (w_1, w_2) at w_1 , and $w_i \neq w_1$ for $i \neq 1$. The *length* of a clow (w_1, \dots, w_l) is l . Note that clows are not allowed to be empty, since they always must have a head.

EXAMPLE 3.3. Consider the clow C given by $(1, 2, 3, 2, 3)$ on four vertices. The head of clow C is vertex 1, and the length of C is 6.

DEFINITION 3.4. A *clow sequence* is a sequence of clows (C_1, \dots, C_k) , where $\text{head}(C_1) < \dots < \text{head}(C_k)$. The *length* of a clow sequence is the sum of the lengths of the clows (i.e., the total number of edges, counting multiplicities). Note that a cycle cover is a special type of a clow sequence.

DEFINITION 3.5. We define the *sign* of a clow sequence to be $(-1)^{n-k}$ where k is the number of clows in the sequence and n is the number of vertices.

EXAMPLE 3.6. We list the clow sequences associated with the three vertices $\{1, 2, 3\}$. We give the sign of the corresponding clow sequences in the right-most column:

1. $(1), (2), (3)$ $(-1)^{3+3} = 1$
2. $(1, 2), (3)$ $(-1)^{3+2} = -1$
3. $(1, 2, 2)$ $(-1)^{3+1} = 1$
4. $(1, 2), (2)$ $(-1)^{3+2} = -1$
5. $(1), (2, 3)$ $(-1)^{3+2} = -1$
6. $(1, 2, 3)$ $(-1)^{3+1} = 1$
7. $(1, 3, 3)$ $(-1)^{3+1} = 1$
8. $(1, 3), (3)$ $(-1)^{3+2} = -1$
9. $(1, 3, 2)$ $(-1)^{3+1} = 1$
10. $(1, 3), (2)$ $(-1)^{3+2} = -1$
11. $(2, 3, 3)$ $(-1)^{3+1} = 1$
12. $(2, 3), (3)$ $(-1)^{3+2} = -1$

Note that the number of permutations on 3 vertices is $3! = 6$, and indeed, the clow sequences $\{3, 4, 7, 8, 11, 12\}$ do *not* correspond to cycle covers. We listed these clow sequences which do not correspond to cycle covers by pairs: $\{3, 4\}, \{7, 8\}, \{11, 12\}$. Consider the first pair: $\{3, 4\}$. We will later define the weight of a clow (simply the product of the labels of the edges), but notice that clow sequence 3 corresponds to $a_{12}a_{22}a_{21}$ and clow sequence 4 corresponds to $a_{12}a_{21}a_{22}$, which is the same value; however, they have opposite signs, so they cancel each other out. Same for pairs $\{7, 8\}$ and $\{11, 12\}$. We make this informal observation precise with the following definitions, and in Theorem 3.10 we show that clow sequences which do not correspond to cycle covers cancel out.

Given a matrix A , we associate a weight with a clow sequence that is consistent with the contribution of a cycle cover. Note that we can talk about clows and clow sequences independently of a matrix, but once we associate weights with clows, we have to specify the underlying matrix, in order to label the edges. Thus, to make things more precise, we will sometimes say “clow sequences on A ” to emphasize that the weights come from A .

DEFINITION 3.7. Given a matrix A , the *weight of a clow* C , denoted $w(C)$, is the product of the weights of the edges in the clow, where edge (i, j) has weight a_{ij} .

EXAMPLE 3.8. Given a matrix A , the weight of clow C in Example 3.3 is given by

$$w((1, 2, 3, 2, 3)) = a_{12}a_{23}^2a_{32}a_{31} .$$

DEFINITION 3.9. Given a matrix A , the *weight of a clow sequence* C , denoted $w(C)$, is the product of the weights of the clows in C . Thus, if $C = (C_1, \dots, C_k)$, then

$$w(C) = \prod_{i=1}^k w(C_i).$$

We make the convention that an empty clow sequence has weight 1. Since a clow must consist of at least one vertex, a clow sequence is empty iff it has length zero. Thus, equivalently, a clow sequence of length zero has weight 1. These statements will be important when we link clow sequences with Berkowitz's algorithm.

THEOREM 3.10. *Let A be an $n \times n$ matrix, and let p_n, p_{n-1}, \dots, p_0 be the coefficients of the char polynomial of A given by $\det(xI - A)$. Then:*

$$p_{n-k} = (-1)^{n-k} \sum_{C_k} \text{sign}(C)w(C), \quad (3.3)$$

where $C_k = \{C \mid C \text{ is a clow sequence on } A \text{ of length } k\}$.

Proof. We generalize the proof given in [4, pp. 5–8] for the case $k = n$. The main idea in the proof is that clow sequences which are not cycle covers cancel out, just as in Example 3.6, so the contribution of clow sequences which are not cycle covers is zero.

Assume that (C_1, \dots, C_j) is a clow sequence in A of length k . Choose the smallest i such that (C_{i+1}, \dots, C_j) is a set of disjoint cycles. If $i = 0$, (C_1, \dots, C_j) is a cycle cover. Otherwise, if $i > 0$, we have a clow sequence which is not a cycle cover, so we show how to find another clow sequence (which is also not a cycle cover) of the same weight and length, but opposite sign. The contribution of this pair to the summation in (3.3) will be zero.

Assume that $i > 0$, and traverse C_i starting from the head until one of two possibilities happens: (i) we hit a vertex that is in (C_{i+1}, \dots, C_j) , or (ii) we hit a vertex that completes a simple cycle in C_i . Denote this vertex by v . In case (i), let C_p be the intersected clow ($p \geq i + 1$), join C_i and C_p at v (so we merge C_i and C_p). In case (ii), let C be the simple cycle containing v : detach it from C_i to get a new clow.

In either case, we created a new clow sequence, of *opposite sign but same weight and same length* k . Furthermore, the new clow sequence is still not a cycle cover, and if we would apply the above procedure to the new clow sequence, we would get back the original clow sequence (hence our procedure defines an *involution* on the set of clow sequences). \square

In [7] Valiant points out that Berkowitz's algorithm computes sums of what he calls "loop covers." We show that Berkowitz's algorithm computes sums of slightly restricted clow sequences, which are nevertheless equal to the sums of all clow sequences, and therefore, by Theorem 3.10, Berkowitz's algorithm computes the coefficients p_{n-k} of the char polynomial of A correctly. We formalize this argument in the following theorem, which is the central result of this paper.

THEOREM 3.11. *Let A be an $n \times n$ matrix, and let*

$$p_A = \begin{bmatrix} p_n \\ p_{n-1} \\ \vdots \\ p_0 \end{bmatrix},$$

as defined by equation 2.6, that is, p_A is the result of running Berkowitz's algorithm on A . Then, for $0 \leq i \leq n$, we have

$$p_{n-i} = (-1)^{n-k} \sum_{C_i} \text{sign}(C)w(C) , \tag{3.4}$$

where $C_i = \{C \mid C \text{ is a clow sequence on } A \text{ of length } i\}$.

Before we prove this theorem, we give an example.

EXAMPLE 3.12. Suppose that A is a 3×3 matrix, $M = A[1|1]$ as usual, and p_3, p_2, p_1, p_0 are the coefficients of the char poly of A and q_2, q_1, q_0 are the coefficients of the char poly of M , computed by Berkowitz's algorithm. Thus

$$\begin{aligned} \begin{bmatrix} p_3 \\ p_2 \\ p_1 \\ p_0 \end{bmatrix} &= \begin{bmatrix} 1 & 0 & 0 \\ -a_{11} & 1 & 0 \\ -RS & -a_{11} & 1 \\ -RMS & -RS & -a_{11} \end{bmatrix} \begin{bmatrix} q_2 \\ q_1 \\ q_0 \end{bmatrix} \\ &= \begin{bmatrix} q_2 \\ -a_{11}q_2 + q_1 \\ -RSq_2 - a_{11}q_1 + q_0 \\ -RMSq_2 - RSq_1 - a_{11}q_0 \quad (*) \end{bmatrix} . \end{aligned} \tag{3.5}$$

We assume that the coefficients q_2, q_1, q_0 are given by sums of clow sequences on M , that is, by clow sequences on vertices $\{2, 3\}$. Using this assumption and equation (3.5), we show that p_3, p_2, p_1, p_0 are given by clow sequences on A , just as in the statement of Theorem 3.11.

Since $q_2 = 1, p_3 = 1$ as well. Note that $q_2 = 1$ is consistent with our statement that it is the sum of restricted clow sequences of length zero, since there is only one empty clow sequence, and its weight is by convention 1 (see Definition 3.9).

Consider p_2 , which by definition is supposed to be the sum of clow sequences of length one on all three vertices. This is the sum of clow sequences of length one on vertices 2 and 3 (i.e., q_1), plus the clow sequence consisting of a single self-loop on vertex 1 with weight a_{11} . Hence, the sum is indeed $-a_{11}q_2 + q_1$, as in equation (3.5) (again, $q_2 = 1$).

Consider p_1 . Since $p_1 = p_{3-2}$, p_1 is the sum of clow sequences of length two. We are going to show that the term $-RSq_2 - a_{11}q_1 + q_0$ is equal to the sum of clow sequences of length 2 on A . First note that there is just one clow of length two on vertices 2 and 3, and it is given by q_0 . There are two clows of length two which include a self loop at vertex 1. These clows correspond to the term $-a_{11}q_1$. Note that the negative sign comes from the fact that q_1 has a negative value, but there are two clows per sequence, so the parity is even, according to Definition (3.5). Finally, we consider the clow sequences of length two, where there is no self loop at vertex 1. Since vertex 1 must be included, there are only two possibilities; these clows correspond to the term $-RSq_2$ which is equal to

$$- \begin{bmatrix} a_{12} & a_{13} \end{bmatrix} \begin{bmatrix} a_{21} \\ a_{31} \end{bmatrix} = -a_{12}a_{21} - a_{13}a_{31} ,$$

since $q_2 = 1$.

For p_0 , the reader can add up all the clows by following Example (3.6). One thing to notice, when tracing this case, is that the summation indicated by $(*)$ includes only those clow sequences which start at vertex 1. This is because, the bottom entry in equation (3.5), unlike the other entries, does not have a 1 in the last column, and hence there is not coefficient from the char poly of M appearing by itself. This is not a problem for the following reason: if vertex 1 is not included in a clow sequence computing the last entry, then that clow sequence will cancel out anyways, since a clow sequence of length 3 that avoids the first vertex, cannot be a cycle cover! This observation will be made more explicit in the proof below.

Proof of Theorem 3.11. We prove this theorem by induction on the size of matrices. The Basis Case is easy, since if A is a 1×1 matrix, then $A = (a)$, so $p_A = \begin{pmatrix} 1 & -a \end{pmatrix}$, so $p_1 = 1$, and $p_0 = -a$ which is $(-1) \times$ the sum of clow sequences of length 1.

In the Induction Step, suppose that A is an $(n + 1) \times (n + 1)$ matrix and

$$\begin{bmatrix} p_{n+1} \\ p_n \\ p_{n-1} \\ p_{n-2} \\ p_{n-3} \\ \vdots \\ p_0 \end{bmatrix} = \begin{bmatrix} 1 & 0 & 0 & \dots \\ -a_{11} & 1 & 0 & \dots \\ -RS & -a_{11} & 1 & \dots \\ -RMS & -RS & -a_{11} & \dots \\ -RM^2S & -RMS & -RS & \dots \\ \vdots & \vdots & \vdots & \ddots \\ -RM^{n-1}S & -RM^{n-2}S & -RM^{n-3}S & \dots \end{bmatrix} \begin{bmatrix} q_n \\ q_{n-1} \\ q_{n-2} \\ q_{n-3} \\ \vdots \\ q_0 \end{bmatrix}, \quad (3.6)$$

By the induction hypothesis, $q_M = [q_n \ q_{n-1} \ \dots \ q_0]$ satisfies the statement of the theorem for $M = A[1|1]$, that is, q_{n-i} is equal to the sum of clow sequences of length i on $M = A[1|1]$.

Since $p_{n+1} = q_n$, $p_{n+1} = 1$. Since $p_n = -a_{11}q_n + q_{n-1} = -a_{11} + q_{n-1}$ (as $q_n = 1$), using the fact that q_{n-1} is the sum of clow sequences of length 1 on M , it follows that p_n is the sum of clow sequences of length 1 on A .

Now we prove this for general $n + 1 > i > 1$, that is, we prove that p_{n+1-i} is the sum of clow sequences of length i on A . Note that:

$$p_{n+1-i} = -RM^{i-2}Sq_n - RM^{i-3}Sq_{n-1} - \dots - RSq_{n+2-i} - a_{11}q_{n+1-i} + q_{n-i} \quad (3.7)$$

as can be seen by inspection from equation (3.6). Observe that the (i, j) -th entry of M^k is the sum of clows in M that start at vertex i and end at vertex j of length k , and therefore, RM^kS is the sum of clows in A that start at vertex 1 (and of course end at vertex 1, and vertex 1 is never visited otherwise), of length $k + 2$.

Therefore, $RM^{i-2-j}Sq_{n-j}$, for $j = 0, \dots, i - 2$, is the product of the sum of clows of length $i - j$ (that start and end at vertex 1) and the sum of clow sequences of length j on M (by the Induction Hypothesis), which is just the sum of clow sequences of length i where the first clow starts and ends at vertex 1, and has length $i - j$. Each clow sequence of length i on A starts off with a clow anchored at the first vertex, and the second to last term of equation (3.7), $-a_{11}q_{n+1-i}$, corresponds to the case where

the first clow is just a self loop. Finally, the last term given by q_{n-i} contributes the clow sequences of length i which do *not* include the first vertex.

The last case is when $i = n + 1$, so p_0 , which is the determinant of A , by Theorem 3.10. As was mentioned at the end of Example 3.12, this is a *special* sum of clow sequences, because the head of the first clow is always vertex 1. Here is when we invoke the proof of the Theorem 3.10: the last entry, p_0 can be shown to be the sum of clow sequences, where the head of the first clow is always vertex 1, by following an argument analogous to the one in the above paragraph. However, this sum is still equal in value to the sum of all clow sequences (of length $n + 1$). This is because, if we consider clow sequences of length $n + 1$, and there are $n + 1$ vertices, and we get a clow sequences C which avoids the first vertex, then we know that C *cannot* be a cycle cover, and therefore it will cancel out in the summation anyways, just as it was shown to happen in the proof of Theorem 3.10. \square

4. Acknowledgments. I would like to thank Stephen Cook, who introduced me to Berkowitz's algorithm, and who supervised my Ph.D. thesis, where we designed logical theories for reasoning about Linear Algebra, and where we gave the first feasible proof of the Cayley-Hamilton Theorem (and other fundamental theorems of Linear Algebra) based on Berkowitz's algorithm; see [5].

REFERENCES

- [1] Stuart J. Berkowitz. On computing the determinant in small parallel time using a small number of processors. *Information Processing Letters*, 18:147–150, 1984.
- [2] Stephen A. Cook. A taxonomy of problems with fast parallel algorithms. *Information and Computation*, 64:2–22, 1985.
- [3] Jan Krajíček. *Bounded Arithmetic, Propositional Logic, and Complexity Theory*. Cambridge University Press, New York, 1995.
- [4] Meena Mahajan and V. Vinay. Determinant: Combinatorics, algorithms, and complexity. *Chicago Journal of Theoretical Computer Science*, vol. 1997, article 5, 1997.
- [5] Michael Soltys. *The Complexity of Derivations of Matrix Identities*. PhD thesis, University of Toronto, Department of Mathematics, 2001.
- [6] Howard Straubing. A combinatorial proof of the Cayley-Hamilton Theorem. *Discrete Mathematics*, 43:273–279, 1983.
- [7] Leslie G. Valiant. Why is boolean complexity theory difficult? In M. Paterson, editor, *Boolean Function Complexity*, volume 169 of *London Mathematical Society Lecture Notes Series*, pages 84–94. Cambridge University Press, New York, 1992.
- [8] Joachim von zur Gathen. Parallel linear algebra. In John H. Reif, editor, *Synthesis of Parallel Algorithms*, pages 574–617. Morgan and Kaufman, San Francisco, 1993.