

A NOTE ON COMMUTATIVITY OF NONASSOCIATIVE RINGS

M. S. S. KHAN

(Received 31 December 1998 and in revised form 16 May 1999)

ABSTRACT. A theorem on commutativity of nonassociate ring is given.

Keywords and phrases. Rings with unity, commutativity of rings, nonassociative rings.

2000 Mathematics Subject Classification. Primary 17A30; Secondary 16Y30.

In 1968, Johnsen, Outcalt, and Yaqub [3] have established that a nonassociative ring R with identity 1 satisfying the relation $(xy)^2 = x^2y^2$ for every x and y in R , is commutative. Gupta [2] has shown that if R is a nonassociative 2-torsion free ring with unity 1 satisfying $(xy)^2 = (yx)^2$ for all x, y in R , then R is commutative. Later, Yuanchun [4] proved that a Baer-semisimple ring R is commutative if and only if $(xy)^2 - xy^2x$ is central. The existence of noncommutative ring R with $R^2 \subseteq Z(R)$, center of R , rules out the possibility that $(xy)^2 - xy^2x \in Z(R)$ might yield commutativity even in associative rings. As an example, consider $A_3 = \{(a_{ij})/a_{ij} \text{ are integers with } a_{ij} = 0, i \geq j\}$. Then A_3 is a noncommutative nilpotent ring of index 3 in which $(xy)^2 - xy^2x$ is central for all x, y in A_3 .

This naturally gives rise to the following question: what additional conditions are needed to insure the commutativity of R when R is an arbitrary ring? With this motivation, Ashraf, Quadri, and Zelinsky [1] established the following result.

THEOREM 1. *Let R be an associative ring with unity 1 satisfying $(xy)^2 = yx^2y$ for all x, y in R , then R is commutative.*

They used very complicated combinatorial arguments. In this connection we prove the following results.

THEOREM 2. *Let R be a nonassociative ring with unity 1 satisfying $(xy)^2 = (xy^2)x$ for all x, y in R . Then R is commutative.*

PROOF. Replacing $y + 1$ for y in $(xy)^2 = (xy^2)x$, we obtain

$$(x(y+1))^2 = (x(y+1)^2)x, \quad \text{which yields } x(xy) = (xy)x. \quad (1)$$

Repeating this argument for $x + 1$ in place of x , equation (1) gives

$$x(xy) + xy = (xy)x + yx. \quad (2)$$

Thus equation (2) together with equation (1), shows that R is commutative.

Similarly, we can prove the following theorem. □

THEOREM 3. *Let R be a nonassociative ring with unity 1 satisfying $(xy)^2 = (yx^2)y$ for all x, y in R . Then R is commutative.*

If we drop the restriction of unity 1 in the hypothesis, R may be badly noncommutative.

EXAMPLE. Let

$$R = \left\{ \alpha I + B \mid I = \begin{pmatrix} 1 & 0 & 0 \\ 0 & 1 & 0 \\ 0 & 0 & 1 \end{pmatrix}, B = \begin{pmatrix} 0 & \beta & \gamma \\ 0 & 0 & \delta \\ 0 & 0 & 0 \end{pmatrix}, \alpha, \beta, \gamma, \delta \in Z_p \right\}, \quad (3)$$

p is a prime such that p/n if n odd or $2p/n$ if n even, and Z_p is the ring of integers modulo p . Then $B^3 = 0$, for $n \geq 3$ and

$$(\alpha I + B)^n = \alpha^n I + n\alpha^{n-1}B + \frac{n(n-1)}{2!}\alpha^{n-2}B^2 + \dots = \alpha^n I, \quad (4)$$

because $n = 0$ and $n(n-1)/2! = 0$ in Z_p , where p/n and $2p/n(n-1)$.

However, R need not be commutative.

ACKNOWLEDGEMENT. The author is thankful to the learned referee for the useful comments.

REFERENCES

- [1] M. Ashraf, M. A. Quadri, and D. Zelinsky, *Some polynomial identities that imply commutativity for rings*, Amer. Math. Monthly **95** (1988), no. 4, 336-339. MR 89c:16045. Zbl 643.16021.
- [2] R. N. Gupta, *A note on commutativity of rings*, Math. Student **39** (1971), 184-186. MR 48 6192. Zbl 271.17003.
- [3] E. C. Johnsen, D. L. Outcalt, and A. Yaqub, *An elementary commutativity theorem for rings*, Amer. Math. Monthly **75** (1968), 288-289. MR 37#1417. Zbl 162.33602.
- [4] G. Yuanchun, *Some commutativity theorems of rings*, Acta Sci. Natur. Univ. Jilin **3** (1983), 11-18.

KHAN: DEPARTMENT OF MATHEMATICS AND COMPUTER SCIENCE UNIVERSITY OF LEICESTER, LEICESTER, LE1 7RH, ENGLAND, UK

Special Issue on Modeling Experimental Nonlinear Dynamics and Chaotic Scenarios

Call for Papers

Thinking about nonlinearity in engineering areas, up to the 70s, was focused on intentionally built nonlinear parts in order to improve the operational characteristics of a device or system. Keying, saturation, hysteretic phenomena, and dead zones were added to existing devices increasing their behavior diversity and precision. In this context, an intrinsic nonlinearity was treated just as a linear approximation, around equilibrium points.

Inspired on the rediscovering of the richness of nonlinear and chaotic phenomena, engineers started using analytical tools from "Qualitative Theory of Differential Equations," allowing more precise analysis and synthesis, in order to produce new vital products and services. Bifurcation theory, dynamical systems and chaos started to be part of the mandatory set of tools for design engineers.

This proposed special edition of the *Mathematical Problems in Engineering* aims to provide a picture of the importance of the bifurcation theory, relating it with nonlinear and chaotic dynamics for natural and engineered systems. Ideas of how this dynamics can be captured through precisely tailored real and numerical experiments and understanding by the combination of specific tools that associate dynamical system theory and geometric tools in a very clever, sophisticated, and at the same time simple and unique analytical environment are the subject of this issue, allowing new methods to design high-precision devices and equipment.

Authors should follow the Mathematical Problems in Engineering manuscript format described at <http://www.hindawi.com/journals/mpe/>. Prospective authors should submit an electronic copy of their complete manuscript through the journal Manuscript Tracking System at <http://mts.hindawi.com/> according to the following timetable:

Manuscript Due	December 1, 2008
First Round of Reviews	March 1, 2009
Publication Date	June 1, 2009

Guest Editors

José Roberto Castilho Piqueira, Telecommunication and Control Engineering Department, Polytechnic School, The University of São Paulo, 05508-970 São Paulo, Brazil; piqueira@lac.usp.br

Elbert E. Neher Macau, Laboratório Associado de Matemática Aplicada e Computação (LAC), Instituto Nacional de Pesquisas Espaciais (INPE), São José dos Campos, 12227-010 São Paulo, Brazil ; elbert@lac.inpe.br

Celso Grebogi, Center for Applied Dynamics Research, King's College, University of Aberdeen, Aberdeen AB24 3UE, UK; grebogi@abdn.ac.uk